•	INFORM	ATIO	N REPORT	This material cont National Defense of	of the United State	s within th
REP	ARED AND DISSEMINA	TED BY		meaning of the Es Secs. 793 and 794.	pionage Laws, Titl the transmission (e 18, U.S.C
	CENTRAL IN	NTELLIG	ENCE AGENCY	of which in cmy m son is prohibited b	anner to an unau	thorized per
UNTR					Y 10W.	
BJECT	USSR		,			
	Port Information	n: Batu	mi	DATE DISTRIBUTED	July 1957	25X1
ΝΔ	VY review completed	_		NO. OF PAGES	NO. OF ENCL	s: 25X1
IVA	v i Teview completed	<u> </u>		SUPPLEMENT TO REP	ORT #	20/1
	to Kita ia un a	THI	is is UNEVALUATED inf	ORMATION	· · · · · · · · · · · · · · · · · · ·	
	/THE OFFICE OF N	AVAL TOP	ELL TADAME DIPONTATION			· 25¥1
	FOR TAC DISSEMENT NO 119-57).7	ATION IN	ELLICENCE VURNISHED ACCORDANCE WITH PAR	THE FOLLOWING INFOR AGRAPH 3 c OF NSCIE	MATION TO C #7 (DIO, 8	ND X
1.						2
2.	Alphabetical Desi	mators	The compaction and the	· · · · · · · · · · · · · · · · · · ·	-	
	specific points of	of intere	est ero			wruc
	referred to i	n this	report by the TOLLOW	ng alphabetical de	signators:	2
). 	A. B. C.	Pilot, Fireman and Outgoing pilot disc Berth	Doctor boarded harged	· L	25X1
		D.	8000 ton USSR tanke	r	191	80
		e. F.	8000 ton USSR tanke Searchlight	œ	- /	
		G.	Tugs			
	•	H.	USSR small cargo ve Motor torpedo boats	ssels	'.	
		J.	Fishing vessels	*		
	•	K.	Small-vessel repair Tourist Hotel	yard	:	
		M.	Political meetings			
		N. O.	Newly constructed as USSR cargo vessel	sphalt street	i	25X1
		P.	USSR vessel of new	construction	er in a	20/1
	Approaches and Pil	ot Data				
}。 ;						
}. 						- -
3.						
3.						
3.						
3.						
3.						
3.						
3						
3.						area.
Витіо	ON STATE ARM		RAY N F T D E N T T			25X1

NOFORN

IMITED: Dissemination limited to full-time employees of CIA, AEC and FE; and, within State and Defense, to the intelligence components, other offices producing NIS elements, and higher echlors with their immediate supporting statis. Not to be disseminated to consultants, external projects or reserve personnel on short term active duty (excepting individuals who are normally full-time employees of CIA, AEC, FEI, State or Defense) unless the written permission of the oxiginating affice has been obtained through the Assistant Director for Central Reference, CIA.

and is available both day and night. Pilotage is compulsory weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed port. Perth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steem were available at the berth but none were used. Sewerage was dumped in the bey while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R. eight thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator H. Three or four motor torpedo boats	•		2
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 4. Larbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repair yard was observed at designator K, but no details were evasilable. Three tugs were observed at position labeled designator G. 6. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gaugesy armed with a sidearn. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed at subject ports. 7. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were aradiable at the borth but none were used. Severage was dumped in the boy while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Yessels Two USSR tankers were observed at the positions labeled designator B and R. approximately general first thousand tons each. Two or three small ISSR cargo ressels were belay worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-on USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth.		C-O-N-F-I-D-E-N-T-I-A-L	
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Aray. Ro surveillance hoats were observed Source of water was not known but was believed to have come from a lake in the mountains. quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction		∞ 2 σ	
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with a subject repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. 1. None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. Ro surveillance boats were observed 1. Berth 1. Construction 1. Seweral at position labeled designator N. 1. Berth 1. Berchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. 1. eight thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator H. Three or four motor toppedo boats were observed at designator O awaiting berth. At designator Pa USSR cargo vessels were baserved at designator O awaiting berth. At designator Pa USSR Cc-O-N-Y-I-D-B-N-I-I-A-X.			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repeir yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried of the Aray. Ro surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Aray. Ro surveillance boats were observed Source of water was not known but was believed to have come from a lake in the mountains, quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. eight thousand tons each. Two or three small USSR cargo yessels were being worked in the area labeled designator H. Three or four motor tempedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo yessel was observed at designator O avaiting berth. At designator P a USSR Cc-O-N-Y-I-D-B-N-T-I-A-X.			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. 1. Weather at subject was chartered at the gangway armed with a sidearm. This believed that his uniform was that of a soldier of the Aray. Ro surveillance boats were observed 1. Weather at subject was chartered at the gangway armed with a sidearm. This believed to have come from a lake in the mountains, quality was described as good. Bunkers, electricity, boiler water and steam were available at the benth but none were used. Sewerage was dumped in the hay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 2. Construction structed at position labeled designator N. 2. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. eight thousand tons each. Two or three small USSR cargo vessels were bong worked in the area labeled designator H. Three or four motor tempedo boats were observed mored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR Cc-O-N-T-I-B-R-T-I-A-X.			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repeir yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried of the Aray. Ro surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Aray. Ro surveillance boats were observed Source of water was not known but was believed to have come from a lake in the mountains, quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. eight thousand tons each. Two or three small USSR cargo yessels were being worked in the area labeled designator H. Three or four motor tempedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo yessel was observed at designator O avaiting berth. At designator P a USSR Cc-O-N-Y-I-D-B-N-T-I-A-X.			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repeir yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried private and the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Aray. Ro surveillance boats were observed lat subject port. Perth Source of water was not known but was believed to have come from a lake in the mountains. quality was described as good. Bunkers, electricity, boiler water and steam were available at the benth but none were used. Sewerage was dumped in the boy while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at the position of the structed at position labeled designator N			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Barbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried ritreams; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. Ro surveillance boats were observed Source of water was not known but was good. Bunkers, electricity, boiler water and steam were available at the benth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Construction a new hard-surface street had been constructed at position labeled designator N. Several fishing vessels were observed mored in area labeled designator J. A two-thougand-ton USER cargo vessel was observed at designator O avaiting berth. At designator P a USER CC-O-N-Y-I-D-B-N-I-I-A-K. Constructor Several fishing vessels were anchored in area labeled designator O avaiting berth. At designator P a USER CC-O-N-Y-I-D-B-N-I-I-A-K.			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repeir yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried private and the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Aray. Ro surveillance boats were observed lat subject port. Perth Source of water was not known but was believed to have come from a lake in the mountains. quality was described as good. Bunkers, electricity, boiler water and steam were available at the benth but none were used. Sewerage was dumped in the boy while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at the position of the structed at position labeled designator N			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repeir yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried private and the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Aray. Ro surveillance boats were observed lat subject port. Perth Source of water was not known but was believed to have come from a lake in the mountains. quality was described as good. Bunkers, electricity, boiler water and steam were available at the benth but none were used. Sewerage was dumped in the boy while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at position labeled designator N. One struction a new hard-surface street had been constructed at the position of the structed at position labeled designator N			
and is available both day and night. Weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F. Harbor chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. This believed that his uniform was that of a soldier of the Army. No surveillance boats were observed port. Berth Bource of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, bother water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators B and H. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed at designator I area labeled designator T. Several fishing vessels were easel was observed at designator T. A two-thousand-ton USSR cargo vessel was observed at designator O. A two-thousand-ton USSR cargo vessel was observed at designator O autiting berth. At designator P a USSR C-O-N-Y-I-D-B-N-I-I-A-S.		Pilotage is compulsor	
port was clear and cool with temperatures ranging from 55°F to 45°F. 4. 5. Harbor Soundings were not taken inside harbor and no changes were noted from chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. 6. Controls None of the control party carried	L	and is available both day and night.	
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boller water and steam were available at the berth but none were used. Sewerge was observed in the designator N. Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boller water and steam were available at the berth but none were used. Sewerge was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eight thousand tons each. Two or three small USSR cargo wessels were being worked in the ears labeled designator T. Several fishing vessels were observed in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR		weather at subject port was clear and cool with temperatures ranging from 55°F to 45°F.	ct
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was observed at the joint party carried at subject. 7. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eight thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR creates anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR cargo vessel was observed at designator O avaiting berth. At designator P a USSR	s . [
Chart. A small-wessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. 6. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed at subject port. 7. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eds. Two or three small USSR cargo wessels were being worked in the area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR C-O-N-I-I-D-B-N-I-I-A-X.	4,		
chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. 6. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed at subject ports. 7. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eleght thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR C-O-N-F-I-D-B-N-T-I-A-X.			
chart. A small-vessel repair yard was observed at designator K, but no details were available. Three tugs were observed at position labeled designator G. 6. Controls None of the control party carried firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed at subject ports. 7. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eight thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR C-O-N-F-I-D-B-N-T-I-A-X	5.	Harbor Soundings were not taken inside harbor and no changes were noted from	om
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. eight thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR C-O-N-F-I-D-E-N-I-I-A-S	妙	chart. A small-vessel repair yard was observed at designator K, but no deta	ails
Fource of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and N. approximately eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed at designator J. A two-thousand-ton USSR cargo vessel was observed at designator P a USSR	14 - 1468. 1	were available. Three tugs were observed at position labeled designator G.	;
firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed at subject port. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay while garhage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction	6.	Controls].
firearms; however, one surveillance guard was stationed at the gangway armed with a sidearm. It is believed that his uniform was that of a soldier of the Army. No surveillance boats were observed at subject port. Berth Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay while garhage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction			
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boller water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. approximately eight thousand tons each. Two or three small USSR cargo wessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo vessels was observed at designator O awaiting berth. At designator P a USSR C-0-N-F-I-D-E-N-T-I-A-L.		None of the control party carried	2
Fource of water was not known but was believed to have come from a lake in the mountains. So were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator T. Several fishing vessels were observed in area labeled designator T. A two-thousand-ton USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR C-0-N-F-T-D-E-N-T-T-A-L.		with a sidearm. It is believed that his uniform was that of a soldier of the	1 1
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR C-O-N-Y-I-D-R-N-T-I-A-L		Army. No surveillance boats were observed at subject	7
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described at good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. eight thousand tons each. Two or three small USSR cargo yessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo yessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-T-T-D-E-N-T-T-A-L.		port];
Source of water was not known but was believed to have come from a lake in the mountains. Quality was described at good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and H. eight thousand tons each. Two or three small USSR cargo yessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo yessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-T-T-D-E-N-T-T-A-L.	7	Berth	
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay whilt garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction	10	<u> </u>	
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay whilt garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction			77.3
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay whilt garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction			
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay whilt garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction			1
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction			A CONTRACTOR OF THE PARTY OF TH
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay whilt garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction			A STATE OF THE PROPERTY OF THE
believed to have come from a lake in the mountains. Quality was described as good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay whilt garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction			The state of the s
good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and E. approximately eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR			The state of the s
dumped at sea. A fire-hose was observed on the dock for fire protection. 8. Construction a new hard-surface street had been constructed at position labeled designator N. 9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR C-0-N-F-T-D-E-N-T-T-A-L		believed to have come from a lake in the mountains. Quality was described a	3
9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R. approximately 25 eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-T-D-E-N-T-T-A-L		believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the	3
9. 10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R. approximately 25 eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-T-D-E-N-T-T-A-L		believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was	3
10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-O-N-F-I-D-E-N-I-I-A-L		believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection.	
10. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-O-N-F-I-D-E-N-I-I-A-L	8.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been con-	
designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-I-B-E-N-T-I-A-L		believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been con-	
designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-I-B-E-N-T-I-A-L		believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been con-	The second secon
eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-O-N-F-I-D-E-N-I-I-A-L	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N.	The second secon
were observed moored in area labeled designator T. Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-I-B-E-N-T-I-A-L	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R.	Committee and the control of the con
Several fishing vessels were anchored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-I-B-E-N-T-I-A-L	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R. approximately eight thousand tons each. Two or three small USSR cargo vessels were being	Committee and the control of the con
vessel was observed at designator 0 awaiting berth. At designator P a USSR C-0-N-F-I-D-E-N-I-I-A-L	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Sewerage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and R. approximately eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats	25
C-O-N-F-I-D-E-N-T-I-A-L	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and B. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator T. Several fishing vesse	25
	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo	25
	9.	believed to have come from a lake in the mountains. Quality was described a good. Bunkers, electricity, boiler water and steam were available at the berth but none were used. Severage was dumped in the bay while garbage was dumped at sea. A fire-hose was observed on the dock for fire protection. Construction a new hard-surface street had been constructed at position labeled designator N. Merchant Vessels Two USSR tankers were observed at the positions labeled designators D and E. eight thousand tons each. Two or three small USSR cargo vessels were being worked in the area labeled designator H. Three or four motor torpedo boats were observed moored in area labeled designator J. A two-thousand-ton USSR cargo vessel was observed at designator O awaiting berth. At designator P a USSR	25

	Con Oan Nan Far Jan Jan Ja	-N-T-1-A-L	:
17			
vessel of new obtainable but	construction was observed. Due vessel appeared to be of 275 I	to Carkness, no LOA. No gun mount	details were s were seen.
Miscellaneous	only s fa	WY Moone I or Jan. 13	
spoke anything	, vuo huspian, but anneamed fine	w people in the s	d to bur
rigitée oi ci	othing, cigarettes, etc.		
lub.lect port a	re good but evenoustre		and drink in
subject port a he port is 50	re good but expensive. years behind the times.		and drink in ervthing in
ubject port a he port is 50	re good but expensive. years behind the times.		
one port is 50	years behind the times.	"eye	erything in
or three jet a	years behind the times.	"eye	erything in
or three jet a	years behind the times. ircraft, not further identified, vessel's call.	, were observed c	Two lrcling the
or three jet a rea during the	years behind the times. ircraft, not further identified, vessel's call.	, were observed c	Two

C-O-N-F-I-D-B-N-T-J-A-1

NOFORN

NO DISSEM ABROAD

LIMITER



